

## Crimping tool, pneumatic - ZAP 25 T - 1203123

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Pneumatic crimping pliers, as table top version, for ferrules in accordance with DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross section 0.25 - 2.5 mm<sup>2</sup>

### Your advantages

- ✓ These crimping pliers have been specially developed for pre-assembling conductors
- ✓ The crimping process is activated by a foot valve
- ✓ Two integrated recesses allow quick access to the ferrules



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 018092
GTIN	4017918018092

### Technical data

#### Dimensions

Length (b)	200 mm
Width (a)	140 mm
Height (c)	70 mm
Stripping length	0 mm

#### General

Compression	trapezoidal
Min. AWG, flexible, multi-strand	14
AWG max., flexible, multi-strand	24
Pressure range	4 bar ... 6 bar
Air consumption per compression	0.2 l
Power consumption	0 W
Weight	1 kg
Min. cross section	0.25 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>

# Crimping tool, pneumatic - ZAP 25 T - 1203123

## Classifications

### eCl@ss

eCl@ss 10.0.1	17130101
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	17130100
eCl@ss 6.0	17130100
eCl@ss 7.0	17130101
eCl@ss 8.0	17130101
eCl@ss 9.0	17130101

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC000168
ETIM 6.0	EC002778
ETIM 7.0	EC002778

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

## Crimping tool, pneumatic - ZAP 25 T - 1203123

### Approvals

EAC



RU C-  
DE.A\*30.B.01744

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1203123](#)