

Voltage tester - SF-VT VDE - 1212598

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Voltage tester, single-position, for 150 - 250 V, conforms to DIN 57680/6 and VDE 0680/6, can also be used as an actuation tool for spring-cage terminal blocks, size: 0.5 x 3.0 x 70 mm, VDE insulated, with non-slip grip

Your advantages

- Bladed screwdriver with test function
- Can be used as an actuation tool for spring-cage terminal blocks
- with non-slip grip
- VDE tested

Key Commercial Data

Packing unit	10 pc
GTIN	 4 046356 590723
GTIN	4046356590723

Technical data

Dimensions

Length (b)	140 mm
Blade thickness	0.5 mm
Blade width	3 mm
Blade height	65 mm

General

Type	Bladed
Test standard	ISO 57680/6 VDE 0680/6
Power supply	Self supply
Measuring category	none
Phase-sequence indicator	no
Phase display	no
Measuring point lighting	no
Minimum voltage	150 V AC
Max. voltage	250 V AC

Standards and Regulations

Voltage tester - SF-VT VDE - 1212598

Technical data

Standards and Regulations


Test standard	ISO 57680/6 VDE 0680/6
---------------	------------------------

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Drawings

Pictogram



Classifications

eCl@ss

eCl@ss 10.0.1	27200308
---------------	----------

Voltage tester - SF-VT VDE - 1212598

Classifications

eCl@ss

eCl@ss 4.0	21040400
eCl@ss 4.1	21040400
eCl@ss 5.0	27200300
eCl@ss 5.1	21040400
eCl@ss 6.0	27200300
eCl@ss 7.0	27200308
eCl@ss 8.0	27200308
eCl@ss 9.0	27200308

ETIM

ETIM 4.0	EC000494
ETIM 5.0	EC000494
ETIM 6.0	EC000494
ETIM 7.0	EC000494

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	41113661
UNSPSC 18.0	41113661
UNSPSC 19.0	41113661
UNSPSC 20.0	41113661
UNSPSC 21.0	41113661

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.AI30.B.01750
-----	--	--------------------------

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1212598](#)