Product data sheet Characteristics

59636

core balance current transformer CSH200 -Sepam series 20,40,60,80 - diam. 200mm





Main Range of product	Sepam series 48	
	Sepam series 80 NPP	
	Sepam series 60	
	Sepam series 20 Sepam series 80	
	Sepam series 40	
Device short name	CSH200	
Complementary		
Current transformer type	Core balance	
Current transformer ratio	1/470	
Permissible current	20 KA during 1 s	
Mounting support	Cables	
	Mounting plate	
Width	274 Mm	
Height	256 Mm	
Depth	46 Mm	
Diameter	196 Mm inner:	
Diameter Net weight	196 Mm inner: 1.4 Kg	
Net weight		
Net weight Environment	1.4 Kg	
Net weight Environment Ambient air temperature for operation	1.4 Kg -2570 °C	
Net weight Environment Ambient air temperature for operation	1.4 Kg	
Net weight Environment Ambient air temperature for operation	1.4 Kg -2570 °C	
Net weight Environment	1.4 Kg -2570 °C	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage	1.4 Kg -2570 °C	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units	1.4 Kg -2570 °C -4085 °C	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1	1.4 Kg -2570 °C -4085 °C PCE	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1	1.4 Kg -2570 °C -4085 °C PCE 1	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight Package 1 Height	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg 5.3 Cm	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight Package 1 Height Package 1 width Package 1 Length	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg 5.3 Cm 26.9 Cm	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight Package 1 Height Package 1 width	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg 5.3 Cm 26.9 Cm 28.1 Cm	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight Package 1 Height Package 1 Length Unit Type of Package 2	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg 5.3 Cm 26.9 Cm 28.1 Cm S03	
Net weight Environment Ambient air temperature for operation Ambient air temperature for storage Packing Units Unit Type of Package 1 Number of Units in Package 1 Package 1 Weight Package 1 Height Package 1 Length Unit Type of Package 2 Number of Units in Package 2	1.4 Kg -2570 °C -4085 °C PCE 1 1.64 Kg 5.3 Cm 26.9 Cm 28.1 Cm S03 5	



Package 2 Length	40 Cm
Unit Type of Package 3	P12
Number of Units in Package 3	40
Package 3 Weight	81.176 Kg
Package 3 Height	50 Cm
Package 3 width	80 Cm
Package 3 Length	120 Cm

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh free of SVHC	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) CEU RoHS Decla- ration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₫ Yes	
China RoHS Regulation	China RoHS Declaration	
Environmental Disclosure	Product Environmental Profile	

Product Life Status :

Commercialised