

## Crimp contact - HC-D STC 1,5 - 1772560


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Rolled pin contact (with BO crimp zone), for conductors with a cross section of 0.75 mm<sup>2</sup> ... 1.5 mm<sup>2</sup>. For contact insert order number 1580257 and 1580076

RoHS

### Key Commercial Data

Packing unit	100 pc
GTIN	 4 017918 037239
GTIN	4017918037239

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### General

Color	silver
Assembly instructions	Only for contact inserts order number 1580076 and 1580257


#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Drawings

# Crimp contact - HC-D STC 1,5 - 1772560

Dimensional drawing



Dimensional drawing

## Approvals

Approvals

---

Approvals

EAC / EAC

---

Ex Approvals

---

## Approval details

EAC		RU C- DE.AI30.B.01102
-----	--	--------------------------

EAC		EAC-Zulassung
-----	--	---------------

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1772560](#)