



## Main

Range	Acti 9
Product name	Acti9 STI
Product or component type	Fuse-disconnector
Device short name	STI
Poles description	1P

## Complementary

[In] rated current	2 A 4 A 6 A 10 A 16 A 20 A 25 A
Fuse curve	AM GG
Fuse size	10.3 x 38 mm
[Ue] rated operational voltage	500 V AC
[Ui] rated insulation voltage	500 V AC 50/60 Hz
Mounting mode	Clip-on
Mounting support	DIN rail
9 mm pitches	2
Height	81 Mm
Width	18 Mm
Depth	75 Mm
Colour	White
Connections - terminals	Screw clamp terminals1 cable(s) 0.75...10 mm <sup>2</sup> rigid Screw clamp terminals1 cable(s) 0.5...6 mm <sup>2</sup> flexible Screw clamp terminals2 cable(s) 0.75...4 mm <sup>2</sup> rigid Screw clamp terminals2 cable(s) 0.5...6 mm <sup>2</sup> flexible
Wire stripping length	12 Mm
Tightening torque	2 N.M

## Environment

Standards	IEC 60269-1/2 IEC EN 60947-3
IP degree of protection	IP20
Pollution degree	3
Ambient air temperature for operation	-20...60 °C
Ambient air temperature for storage	-40...80 °C

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	10 G
Package 1 Height	7.8 Cm
Package 1 width	1.8 Cm
Package 1 Length	8.4 Cm
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Weight	710 G
Package 2 Height	2.85 Cm
Package 2 width	30 Cm
Package 2 Length	20 Cm
Unit Type of Package 3	S03
Number of Units in Package 3	144
Package 3 Weight	9.05 Kg
Package 3 Height	30 Cm
Package 3 width	30 Cm
Package 3 Length	40 Cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product

Product Life Status : **Commercialised**