

SOCKETS 1/2"

1000V



EGA Master insulated tools comply with IEC 60900 international standard, each one of the pieces being tested at 10,000V (10 times the voltage we certify). They are also tested rigorously according to what the norms establishes: adherence test, impact test, flame propagation test and dielectric penetration test.

 **1.000V**
 IEC 60900



MAIN APPLICATION FIELDS

Electrical installation	High Voltage networks	Electric maintenance
Power Plants	Low Voltage networks	Fire-fighters
Electric Stations and substations	Telecommunications	Lighting installation and repair

CAUTION

- 1** Don't ever use tools under voltage if they present pores, fissures, encrusted elements or if the white insulation layer is visible.
- 2** **Insulating floors and safety shoes** are recommended to work under voltage.
- 3** **Avoid contact with water** while working under voltage.
- 4** **Do not ever touch directly any item that may be under voltage.** Use a voltage tester to check first.

SOCKETS 1/2"

1000V

EGA Master offers a wide range of 1000V insulated sockets, both short range and long series offering in turn a large number of additional items, such as adapters, articulated handles, extensions, ratchets, etc.

There are ranges of 1/4", 3/8" and 1/2" square driver for the most demanding professionals.

both in mm and inches

1. Sockets with 6 and 12 edges both in mm and in inches to suit user's needs.



2. Made of chrome-vanadium steel, designed to support high torques with minimum wear out, providing greater durability.


3. The insulation provides maximum adherence and safety against unforeseen circumstances.

4. Un-erasable laser marking.

SOCKET WRENCHES 1/2"

1/2"

mm



	COD		$\leftarrow L \rightarrow$ mm	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	$\leftarrow C \rightarrow$	gr.			
	74960	8mm	40	14		5,0	50			
	74961	9mm		15						
	74962	10mm		16						
	74963	11mm		17	21	7,0			55	
	74964	12mm		18						
	74965	13mm		19						
	74966	14mm		21	10	8,0			60	
	74967	15mm		22						
	74968	16mm		24						
	74969	17mm		22	12	10			70	
	74970	18mm		26						
	74971	19mm		23						
	74972	20mm	44	26	12	90	10			
	74973	21mm						28		
	74974	22mm						30		
	74975	23mm		32	31			14	110	
	74976	24mm		32						
	74977	25mm		34						
	74978	26mm		34	16			18	140	
	74979	27mm								36
	74980	28mm								38
	74981	29mm		45	34			20	170	
	74982	30mm								40
	74983	32mm								42
				38	22	180	200			
						210	210			

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
 IEC 60900



COD	mm	L mm	A	B	C	gr
73400	8mm		14			50
73401	9mm		15		5,0	50
73402	10mm		16		6,0	
73403	11mm		17		7,0	
73404	12mm		18	21	8,0	55
73405	13mm		19			
73406	14mm		21			
73407	15mm		22		10	60
73408	16mm	40	24	22		70
73409	17mm		26	23		
73410	18mm		28	26	12	90
73411	19mm		30			95
73412	20mm		32	31	14	110
73413	21mm		34		16	140
73414	22mm		36		18	150
74991	23mm		38	34	20	160
73416	24mm		40		22	170
74992	25mm		42	38	24	180
74993	26mm	44	44		26	200
73417	27mm		46		28	210
74994	28mm		48	42	30	210
74995	29mm		50		32	210
73420	30mm		52	46	34	210
73421	32mm		54	50	36	210


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
 IEC 60900



COD	AF	L mm	A	B	C	gr
75000	5/16"		15			45
75001	3/8"		16			50
75002	7/16"		17			55
75003	1/2"		18	22	14	55
75004	9/16"		21			60
75005	19/32"		22			60
75006	5/8"		24	23	16	70
75007	21/32"	38	24	24	16	80
75008	11/16"		26	26		90
75009	3/4"		28	28	20	110
75010	25/32"		30			120
75011	13/16"		32	30		130
75012	7/8"		34		24	140
75013	15/16"		36		24	145
75014	31/32"		38		26	160
75015	1"	42	40	31	28	170
75016	1.1/16"		42		28	180
75017	1.1/8"		44		30	180
75018	1.3/16"	45	46		32	200
75019	1.1/4"		48	46	34	200

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


SOCKET WRENCHES 1/2"

1/2"

Inch.



1.000V
 IEC 60900



COD	AF	L mm	A	B	C	gr.			
73491	5/16"	38	15	22	14	45			
73492	3/8"		16			50			
73493	7/16"		17			55			
73494	1/2"		18			60			
73495	9/16"		21			70			
73496	19/32"		22			80			
73498	21/32"		24			23	16	70	
73499	11/16"		24			24	16	80	
73500	3/4"		26			26	90		
75025	25/32"		28			28	110		
73501	13/16"	42	30	20	120				
73502	7/8"				130				
73503	15/16"				140				
75028	31/32"				145				
75029	1"				160				
75030	1.1/16"				36	24	170		
75031	1.1/8"				38	180			
75032	1.3/16"				45	40	31	28	180
75033	1.1/4"							200	

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

TECHNICAL SPECIFICATIONS

MATERIAL	Socket wrenches	Cr-V
	Isolation	PP
MINIMUM HARDNESS	39 HRc	
FINISH	Isolated orange RAL 2009	


LONG SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
 IEC 60900



COD	AF	L mm	A	B	gr.	
73430	10mm	75	17	9,0	140	
73431	11mm		18	11		
73432	12mm		19	12		
73433	13mm		21	15		
73434	14mm		22	150		
73435	15mm		23	180		
73436	16mm		23	15		
73437	17mm		24	200		
73438	18mm		26	18		250
73439	19mm		28	18		280
73440	21mm	28	21	280		
73441	22mm	30	24	370		
73442	23mm	32	27	430		
73443	24mm	34	30	450		
75205	26mm	36	30	500		
75206	27mm	38	30	500		
75207	28mm	40	30	500		
75208	29mm	42	30	500		
75209	30mm	42	30	500		
75210	32mm	42	30	500		

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


LONG SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
 IEC 60900



COD	mm	L mm	A	B	gr.	
75180	10mm	75	17	9,0	140	10
75181	11mm		18	11		
75182	12mm		19	12		
75183	13mm		21	12		
75184	14mm		22	12		
75185	15mm		23	15		
75186	16mm		23	15		
75187	17mm		24	15		
75188	18mm		26	18		
75189	19mm		26	18		
75191	21mm		28	18		
75192	22mm		30	21		
75193	23mm		30	21		
75194	24mm		32	24		
75195	26mm		34	24		
75196	27mm		36	27		
75197	28mm	38	27			
75198	29mm	38	27			
75199	30mm	40	30			
75200	32mm	42	30			


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
 IEC 60900



COD	AF	L mm	A	B	gr.	
73378	3/8"	75	17	6,0	140	10
73379	7/16"		19	7,0		
73380	1/2"		20	8,0		
73381	9/16"		22	10		
73382	5/8"		24	15		
73383	11/16"		24	15		
73384	3/4"		26	18		
73385	13/16"		28	18		
73386	7/8"		30	21		
73387	15/16"		32	24		


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
 IEC 60900



COD	AF	L mm	A	B	gr.	
75215	3/8"	75	17	6,0	140	10
75216	7/16"		19	7,0		
75217	1/2"		20	8,0		
75218	9/16"		22	10		
75219	5/8"		24	15		
75220	11/16"		24	15		
75221	3/4"		26	18		
75222	13/16"		28	18		
75223	7/8"		30	21		
75224	15/16"		32	24		
75225	1"		36	24		
75226	1.1/16"		36	24		
75227	1.1/8"		38	24		






UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

TECHNICAL SPECIFICATIONS






MATERIAL	Socket wrenches	Cr-V
	Isolation	PVC
MINIMUM HARDNESS	39 HRc	
FINISH	Isolated orange	

REVERSIBLE RATCHET HANDLE








COD					
73447	1/2"	235	550	6	1



COD					
73683	1/2"	235	645	6	1






EXTENSION



COD					
73445	1/2"	125	260	5	1
73446		250	360		




T HANDLE



COD					
73448	1/2"	200	600	6	1





HEXAGONAL SOCKET



COD			
73455	4mm	75	10
73456	5mm	75	
73457	6mm	80	
73458	7mm		
73459	8mm	85	
73460	9mm	90	
73461	10mm	95	
73462	11mm	135	
73463	12mm		
73464	13mm		
73465	14mm		
73468	17mm	160	

ADAPTER



COD				
73286	1/2"-1/4"	80	5	1
73449	1/2"-3/8"			

SOCKET WRENCHES SETS 1/2"

1/2"

10 Pcs.



COD



pcs.



79074

51053

10


mm

3

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
8	Sockets 1000V	8-10-13-17-18-19-21-22 mm (1/2")
1	Extension 1000V	73445 (1/2")

1/2"

12 Pcs.



COD



pcs.



79479

51053

12


inch

3.2

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
2	Extension 1000V	73445 / 73446 (1/2")
9	Sockets 1000V	1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

1/2"

**12 Pcs.
LONG SERIE**



COD



pcs.



79480

51054

12


inch

6.6

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
2	Extension 1000V	73445 / 73446 (1/2")
9	(L.S.) Sockets 1000V	1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

SOCKET WRENCHES SETS 1/2"

1/2"
 14 Pcs.



COD



pcs.



79075

51053


14

mm

3,5

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
13	Sockets 1000V	10-12-13-14-15-16-17-18-19-21-22-23-27 mm (1/2")
1	Extension 1000V	73446 (1/2")

1/2"
 15 Pcs.
 LONG SERIE



COD



pcs.



79076

51054

15

mm

7

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
13	(L.S.) Sockets 1000V	10-12-13-14-15-16-17-18-19-21-22-23-27 mm (1/2")
1	Extension 1000V	73446 (1/2")

1/2"
 18 Pcs.



COD



pcs.



73017

51053

18


mm



3

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
1	Extension 1000V	73445 (1/2")
15	Sockets 1000V	6-7 mm (1/4") 8-9-10-11-12-13-14-16-17-18-19-21-23 mm (1/2")
1	Adapter 1000V	1/2"-1/4"

SOCKET WRENCHES SETS 1/2"


1/2"
31 Pcs.





COD		pcs.	
79077	51054	31	10

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
23	Sockets 1000V	8-9-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
5	Hexagonal sockets 1000V	8-10-12-14-17 mm (1/2")
1	Extension 1000V	73445 (1/2")
1	T Handle 1000V	73448 (1/2")

1/2"
32 Pcs.




COD		pcs.	
73016	51053	32	7,3



Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
1	Extension 1000V	73445 (1/2")
24	Sockets 1000V	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
5	Hexagonal sockets 1000V	8-10-12-14-17 mm (1/2")

SOCKET WRENCHES SETS 1/2"

1/2"

**37 Pcs.
 LONG SERIE
 AND STANDARD**



COD		pcs.	
79078	51054	37	mm 10,2

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
23	Sockets 1000V	8-9-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
4	(L.S.) Sockets 1000V	10-13-17-19 mm (1/2")
1	Adapter 1000V	1/2"-3/8"
6	Hexagonal sockets 1000V	6-8-11-12-13-14 mm (1/2")
1	Extension 1000V	73445 (1/2")
1	T Handle 1000V	73448 (1/2")