


BASQUE COMBI ADJUSTABLES

EGA Master manufactures the widest range of adjustable wrenches in the world, with all kinds of sizes, types, and exclusive innovations: **adjustable**, **combi**, **quick action**, with or without **Comfort handle**, with lateral nut, 1000V safety insulated, left turn, wide opening, Titacrom® or phosphated.



**With patented
quick opening
action system**

1. Combi system for working with polygonal elements, pipes or rounded-off nuts.



2. With patented quick opening action system.

3. Models with comfort bi-component anti-slippery handle for best comfortability and great attractive design.

4. Heavy Duty Performance to provide maximum resistance to high torque.


5. TITACROM® special surface treatment, rust-proof and anti-chipping off, it is non-reflecting and with very attractive finishing.

6. World patent.

TITACROM



**World
patent**



COD	L	A	B	C	D	E	gr.		
61934	10"-250mm	30	70	29	8,5	1.1/4	550	10	1
61935	12"-300mm	35	80	33	10	1.1/2	850	8	

TITACROM®

TECHNICAL SPECIFICATIONS

Material	Special steel
Hardness	40-50 HRc
Finishing	Titacrom

TITACROM COMFORT



**World
patent**

COD	← L →	← A →	← B →	← C →	← D →	← E →	gr.		
61936	10"-250mm	30	70	29	8,5	1.1/4	600	6	1
61937	12"-300mm	35	80	33	10	1.1/2	900		

TITACROM® COMFORT

TECHNICAL SPECIFICATIONS

Material	Special steel
Hardness	40-50 HRc
Finishing	Titacrom

PHOSPHATED




**World
patent**

COD	← L →	← A →	← B →	← C →	← D →	← E →	gr.		
61938	10"-250mm	30	70	29	8,5	1.1/4	550	10	1
61939	12"-300mm	35	80	33	10	1.1/2	850	8	

TECHNICAL SPECIFICATIONS

Material	Special steel
Hardness	40-50 HRc
Finishing	Phosphated

PHOSPHATED **COMFORT**



**World
 patent**

COD	L						gr.			
	A	B	C	D	E					
61940	10"-250mm	30	70	29	8,5	1.1/4	600		6	1
61941	12"-300mm	35	80	33	10	1.1/2	900			

COMFORT

TECHNICAL SPECIFICATIONS

Material	Special steel
Hardness	40-50 HRc
Finishing	Phosphated