

MASTERBIT BITS




EGA Master has developed a wide range of bits including the following ones: MASTERBIT, MASTERBIT TORSION, MASTERBIT NON-SLIP and MASTERBIT TIN.



1. High quality material, **Cr-Mo-V**, enables the bit to achieve high hardness while maintaining the tenacity.

2. High hardness, provides strong resistance to wearing: **56-60HRc**.

5/10 pcs. blister packaging





FLAT MM

| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58227 | | | 1 |
| 66121 | | | 5 |
| 66623 | 3 x 0,5 | | 10 |
| 55100 | | | 125 |
| 58180 | | | 1 |
| 55850 | 4 x 0,5 | | 5 |
| 55859 | | | 10 |
| 55868 | | | 125 |
| 58228 | | | 1 |
| 66122 | 4,5 x 0,6 | | 5 |
| 66624 | | | 10 |
| 55101 | | | 125 |
| 58229 | | | 1 |
| 66123 | 5,5 x 0,8 | | 5 |
| 66625 | | | 10 |
| 55102 | | 25 | 125 |
| 58230 | | | 1 |
| 66124 | 5,5 x 1 | | 5 |
| 66626 | | | 10 |
| 55103 | | | 125 |
| 58231 | | | 1 |
| 66125 | 6,5 x 1,2 | | 5 |
| 66627 | | | 10 |
| 55104 | | | 125 |
| 58181 | | | 1 |
| 55851 | 7 x 1,2 | | 5 |
| 55860 | | | 10 |
| 55869 | | | 125 |
| 58232 | | | 1 |
| 66126 | 8 x 1,6 | | 5 |
| 66628 | | | 10 |
| 55105 | | | 125 |



 1/4"



FLAT INCH

| COD. |  inch | L (mm) |  PCS |
|-------|--|--------|---|
| 58189 | | | 1 |
| 55877 | 1/8" x 0,02 | 25 | 5 |
| 55891 | | | 10 |
| 55905 | | | 125 |
| 58190 | | | 1 |
| 55878 | | | 5 |
| 55892 | 5/32" x 0,02 | 25 | 10 |
| 55906 | | | 125 |
| 58191 | | | 1 |
| 55879 | | | 5 |
| 55893 | | | 10 |
| 55907 | 3/16" x 0,024 | 25 | 125 |
| 58193 | | | 1 |
| 55881 | | | 5 |
| 55895 | | | 10 |
| 55909 | | | 125 |
| 58194 | 1/4" x 0,046 | 25 | 1 |
| 55882 | | | 5 |
| 55896 | | | 10 |
| 55910 | | | 125 |
| 58195 | | | 1 |
| 55883 | 9/32" x 0,046 | 25 | 5 |
| 55897 | | | 10 |
| 55911 | | | 125 |
| 58196 | | | 1 |
| 55884 | | | 5 |
| 55898 | 5/16" x 0,063 | 25 | 10 |
| 55912 | | | 125 |
| 58192 | | | 1 |
| 55880 | | | 5 |
| 55894 | | | 10 |
| 55908 | 7/32" x 0,032 | 25 | 125 |



 | 1/4"



FLAT MM

| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58233 | | | 1 |
| 66127 | 3 x 0,5 | 50 | 5 |
| 66629 | | | 10 |
| 55106 | | | 125 |
| 58234 | | | 1 |
| 66128 | | | 5 |
| 66630 | 3,5 x 0,6 | 50 | 10 |
| 55107 | | | 125 |
| 58235 | | | 1 |
| 66129 | | | 5 |
| 66631 | | | 10 |
| 55108 | 4 x 0,8 | 50 | 125 |
| 58236 | | | 1 |
| 66130 | | | 5 |
| 66632 | | | 10 |
| 55109 | | | 125 |
| 58237 | 6,5 x 1,2 | 50 | 1 |
| 66131 | | | 5 |
| 66633 | | | 10 |
| 55110 | | | 125 |
| 58238 | | | 1 |
| 66132 | 8 x 1,6 | 50 | 5 |
| 66634 | | | 10 |
| 55111 | | | 125 |





 | 1/4"

FLAT INCH

| COD. |  inch | L (mm) |  PCS |
|-------|--|--------|---|
| 58197 | | | 1 |
| 55885 | 1/8" x 0,02 | | 5 |
| 55899 | | | 10 |
| 55913 | | | 125 |
| 58198 | | | 1 |
| 55886 | 9/64" x 0,024 | | 5 |
| 55900 | | | 10 |
| 55914 | | | 125 |
| 58199 | | | 1 |
| 55887 | 5/32" x 0,032 | | 5 |
| 55901 | | | 10 |
| 55915 | | | 125 |
| 58200 | | | 1 |
| 55888 | 7/32" x 0,040 | 50 | 5 |
| 55902 | | | 10 |
| 55916 | | | 125 |
| 58201 | | | 1 |
| 55889 | 1/4" x 0,046 | | 5 |
| 55903 | | | 10 |
| 55917 | | | 125 |
| 58202 | | | 1 |
| 55890 | 5/16" x 0,063 | | 5 |
| 55904 | | | 10 |
| 55918 | | | 125 |





PHILLIPS®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58239 | | | 1 |
| 66133 | PH-0 | | 5 |
| 66635 | | | 10 |
| 55112 | | | 125 |
| 58240 | | | 1 |
| 66134 | PH-1 | 25 | 5 |
| 55113 | | | 125 |
| 58241 | | | 1 |
| 66135 | | | 5 |
| 55114 | PH-2 | | 125 |
| 58242 | | | 1 |
| 66136 | | | 5 |
| 55115 | | | 125 |
| 58243 | PH-4 | 30 | 1 |
| 66137 | | | 5 |
| 66639 | | | 10 |
| 55116 | | | 125 |



*For screws PHILLIPS® (Phillips Screw Company registered trademark)



PHILLIPS®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58273 | | | 1 |
| 68877 | | | 5 |
| 68887 | PH-0 | | 10 |
| 55117 | | | 125 |
| 58274 | | | 1 |
| 68878 | | | 5 |
| 68888 | PH-1 | | 10 |
| 55118 | | | 125 |
| 58275 | | | 1 |
| 68879 | | | 5 |
| 68889 | PH-2 | 50 | 10 |
| 55119 | | | 125 |
| 58276 | | | 1 |
| 68880 | | | 5 |
| 68890 | PH-3 | | 10 |
| 55120 | | | 125 |
| 58277 | | | 1 |
| 68881 | | | 5 |
| 68891 | PH-4 | | 10 |
| 55121 | | | 125 |



 | 1/4"

POZIDRIV®*



| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58244 | | | 1 |
| 66138 | | | 5 |
| 66640 | PZ-0 | | 10 |
| 55122 | | | 125 |
| 58245 | | | 1 |
| 66139 | | | 5 |
| 66641 | PZ-1 | | 10 |
| 55123 | | | 125 |
| 58246 | | | 1 |
| 66140 | | | 5 |
| 66642 | PZ-2 | 25 | 10 |
| 55124 | | | 125 |
| 58247 | | | 1 |
| 66141 | | | 5 |
| 66643 | PZ-3 | | 10 |
| 55125 | | | 125 |
| 58248 | | | 1 |
| 66142 | | | 5 |
| 66644 | PZ-4 | 30 | 10 |
| 55126 | | | 125 |



 | 1/4"

*For screws PHILLIPS® (Phillips Screw Company registered trademark)
*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)



POZIDRIV®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58278 | | | 1 |
| 68882 | PZ-0 | | 5 |
| 68892 | | | 10 |
| 55260 | | | 125 |
| 58279 | | | 1 |
| 68883 | PZ-1 | | 5 |
| 68893 | | | 10 |
| 55261 | | | 125 |
| 58280 | | | 1 |
| 68884 | PZ-2 | 50 | 5 |
| 68894 | | | 10 |
| 55262 | | | 125 |
| 58281 | | | 1 |
| 68885 | PZ-3 | | 5 |
| 68895 | | | 10 |
| 55263 | | | 125 |
| 58282 | | | 1 |
| 68886 | PZ-4 | | 5 |
| 68896 | | | 10 |
| 55264 | | | 125 |





 1/4"

HEXAGONAL MM

| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58249 | 1,5 | | 1 |
| 66144 | | | 5 |
| 66645 | | | 10 |
| 55127 | | | 125 |
| 58250 | 2 | | 1 |
| 66145 | | | 5 |
| 66646 | | | 10 |
| 55128 | | | 125 |
| 58251 | 2,5 | | 1 |
| 66146 | | | 5 |
| 66647 | | | 10 |
| 55129 | | | 125 |
| 58252 | 3 | | 1 |
| 66147 | | | 5 |
| 66648 | | | 10 |
| 55130 | | | 125 |
| 58182 | 3,5 | 25 | 1 |
| 55852 | | | 5 |
| 55861 | | | 10 |
| 55870 | | | 125 |
| 58253 | 4 | | 1 |
| 66148 | | | 5 |
| 66649 | | | 10 |
| 55131 | | | 125 |
| 58254 | 5 | | 1 |
| 66149 | | | 5 |
| 66650 | | | 10 |
| 55132 | | | 125 |
| 58183 | 5,5 | | 1 |
| 55853 | | | 5 |
| 55862 | | | 10 |
| 55871 | | | 125 |
| 58255 | 6 | | 1 |
| 66172 | | | 5 |
| 66651 | | | 10 |
| 55133 | | | 125 |





*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58184 | 6,5 | | 1 |
| 55854 | | | 5 |
| 55863 | | | 10 |
| 55872 | | | 125 |
| 58164 | | | 1 |
| 66173 | 8 | | 5 |
| 66652 | | | 10 |
| 55134 | | | 125 |





HEXAGONAL INCH

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58203 | 1/16" | | 1 |
| 55919 | | | 5 |
| 55943 | | | 10 |
| 55967 | | | 125 |
| 58204 | 5/64" | | 1 |
| 55920 | | | 5 |
| 55944 | | | 10 |
| 55968 | | | 125 |
| 58205 | 3/32" | | 1 |
| 55921 | | | 5 |
| 55945 | | | 10 |
| 55969 | 7/64" | | 125 |
| 58206 | | | 1 |
| 55922 | | | 5 |
| 55946 | | | 10 |
| 55970 | 1/8" | | 125 |
| 58207 | | | 1 |
| 55923 | | | 5 |
| 55947 | | | 10 |
| 55971 | 9/64" | | 125 |
| 58208 | | | 1 |
| 55924 | | | 5 |
| 55948 | | | 10 |
| 55972 | 25 | | 125 |
| 58209 | | | 1 |
| 55925 | | | 5 |
| 55949 | | | 10 |
| 55973 | 5/32" | | 125 |
| 58210 | | | 1 |
| 55926 | | | 5 |
| 55950 | | | 10 |
| 55974 | 3/16" | | 125 |
| 58211 | | | 1 |
| 55927 | | | 5 |
| 55951 | | | 10 |
| 55975 | 7/32" | | 125 |
| 58212 | | | 1 |
| 55928 | | | 5 |
| 55952 | | | 10 |
| 55976 | 15/64" | | 125 |
| 58213 | | | 1 |
| 55929 | | | 5 |
| 55953 | | | 10 |
| 55977 | 1/4" | | 125 |
| 58214 | | | 1 |
| 55930 | | | 5 |
| 55954 | | | 10 |
| 55978 | 5/16" | | 125 |
| | | | 10 |





HEXAGONAL MM



| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58185 | | | 1 |
| 55855 | 2 | | 5 |
| 55864 | | | 10 |
| 55873 | | | 125 |
| 58256 | | | 1 |
| 66174 | 3 | | 5 |
| 66653 | | | 10 |
| 55135 | | | 125 |
| 58186 | 3,5 | | 1 |
| 55856 | | | 5 |
| 55865 | | | 10 |
| 55874 | | | 125 |
| 58160 | 4 | | 1 |
| 66175 | | | 5 |
| 66654 | | | 10 |
| 55136 | | | 125 |
| 58257 | 5 | 50 | 1 |
| 66176 | | | 5 |
| 66655 | | | 10 |
| 55137 | | | 125 |
| 58187 | 5,5 | | 1 |
| 55857 | | | 5 |
| 55866 | | | 10 |
| 55875 | | | 125 |
| 58258 | 6 | | 1 |
| 66177 | | | 5 |
| 66656 | | | 10 |
| 55138 | | | 125 |
| 58188 | 6,5 | | 1 |
| 55858 | | | 5 |
| 55867 | | | 10 |
| 55876 | | | 125 |
| 58162 | 8 | | 1 |
| 66178 | | | 5 |
| 66657 | | | 10 |
| 55139 | | | 125 |



HEXAGONAL INCH



| COD. |  inch | L (mm) |  PCS |
|-------|--|--------|---|
| 58215 | | | 1 |
| 55931 | 1/16 | | 5 |
| 55955 | | | 10 |
| 55979 | | | 125 |
| 58216 | 5/64 | 50 | 1 |
| 55932 | | | 5 |
| 55956 | | | 10 |
| 55980 | | | 125 |
| 58217 | 3/32 | | 1 |
| 55933 | | | 5 |
| 55957 | | | 10 |
| 55981 | 7/64 | | 125 |
| 58218 | | | 1 |
| 55934 | | | 5 |
| 55958 | | | 10 |
| 55982 | | | 125 |



| COD. |  inch | L (mm) |  PCS |
|-------|--|--------|---|
| 58219 | | | 1 |
| 55935 | 1/8 | | 5 |
| 55959 | | | 10 |
| 55983 | | | 125 |
| 58220 | | | 1 |
| 55936 | 9/64 | | 5 |
| 55960 | | | 10 |
| 55984 | | | 125 |
| 58221 | | | 1 |
| 55937 | 5/32 | | 5 |
| 55961 | | | 10 |
| 55985 | | | 125 |
| 58222 | | | 1 |
| 55938 | 3/16 | | 5 |
| 55962 | | | 10 |
| 55986 | | | 125 |
| 58223 | | 50 | 1 |
| 55939 | 7/32 | | 5 |
| 55963 | | | 10 |
| 55987 | | | 125 |
| 58224 | | | 1 |
| 55940 | 15/64 | | 5 |
| 55964 | | | 10 |
| 55988 | | | 125 |
| 58225 | | | 1 |
| 55941 | 1/4 | | 5 |
| 55965 | | | 10 |
| 55989 | | | 125 |
| 58226 | | | 1 |
| 55942 | 5/16 | | 5 |
| 55966 | | | 10 |
| 55990 | | | 125 |





HEXAGONAL BALL POINT

| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58259 | | | 1 |
| 66179 | 2 | | 5 |
| 66658 | | | 10 |
| 55140 | | | 125 |
| 58260 | | | 1 |
| 66180 | 2,5 | | 5 |
| 66659 | | | 10 |
| 55141 | | | 125 |
| 58261 | | | 1 |
| 66181 | 3 | | 5 |
| 66660 | | | 10 |
| 55142 | | | 125 |
| 58262 | | 50 | 1 |
| 66182 | 4 | | 5 |
| 66661 | | | 10 |
| 55143 | | | 125 |
| 58263 | | | 1 |
| 66183 | 5 | | 5 |
| 66662 | | | 10 |
| 55144 | | | 125 |
| 58264 | | | 1 |
| 66184 | 6 | | 5 |
| 66663 | | | 10 |
| 55145 | | | 125 |





ROBERTSON

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58343 | | | 1 |
| 66384 | S1 | | 5 |
| 66690 | | | 10 |
| 55146 | | | 125 |
| 58344 | | | 1 |
| 66385 | S2 | 25 | 5 |
| 66691 | | | 10 |
| 55147 | | | 125 |
| 58345 | | | 1 |
| 66386 | S3 | | 5 |
| 66692 | | | 10 |
| 55148 | | | 125 |
| 58346 | | | 1 |
| 66387 | S4 | | 5 |
| 66693 | | | 10 |
| 55149 | | | 125 |





1/4"

TORX®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58265 | | | 1 |
| 66185 | T-5 | | 5 |
| 66664 | | | 10 |
| 55150 | | | 125 |
| 58266 | | | 1 |
| 66186 | T-6 | 25 | 5 |
| 66665 | | | 10 |
| 55151 | | | 125 |
| 58267 | | | 1 |
| 66187 | T-7 | | 5 |
| 66666 | | | 10 |
| 55152 | | | 125 |
| 58268 | | | 1 |
| 66188 | T-8 | | 5 |
| 66667 | | | 10 |
| 55153 | | | 125 |
| 58269 | | | 1 |
| 66189 | T-9 | | 5 |
| 66668 | | | 10 |
| 55154 | | | 125 |
| 58159 | | | 1 |
| 66190 | T-10 | | 5 |
| 66669 | | | 10 |
| 55155 | | | 125 |
| 58270 | | | 1 |
| 66191 | T-15 | | 5 |
| 66670 | | | 10 |
| 55156 | | | 125 |
| 58156 | | | 1 |
| 66192 | T-20 | | 5 |
| 66671 | | | 10 |
| 55157 | | | 125 |





*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58165 | | | 1 |
| 66193 | T-25 | 25 | 5 |
| 66672 | | | 10 |
| 55158 | | | 125 |
| 58271 | | | 1 |
| 66194 | T-27 | 25 | 5 |
| 66673 | | | 10 |
| 55159 | | | 125 |
| 58155 | | | 1 |
| 66195 | T-30 | 25 | 5 |
| 66674 | | | 10 |
| 55160 | | | 125 |
| 58272 | | | 1 |
| 66196 | T-40 | 25 | 5 |
| 66675 | | | 10 |
| 55161 | | | 125 |



 | 1/4"

TORX®*



| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58161 | | | 1 |
| 66241 | T-10 | 50 | 5 |
| 66676 | | | 10 |
| 55162 | | | 125 |
| 58158 | | | 1 |
| 66242 | T-15 | 50 | 5 |
| 66677 | | | 10 |
| 55163 | | | 125 |
| 58283 | | | 1 |
| 66243 | T-20 | 50 | 5 |
| 66678 | | | 10 |
| 55164 | | | 125 |
| 58284 | | | 1 |
| 66244 | T-25 | 50 | 5 |
| 66679 | | | 10 |
| 55165 | | | 125 |
| 58285 | | | 1 |
| 66245 | T-27 | 50 | 5 |
| 66680 | | | 10 |
| 55166 | | | 125 |
| 58286 | | | 1 |
| 66246 | T-30 | 50 | 5 |
| 66681 | | | 10 |
| 55167 | | | 125 |
| 58287 | | | 1 |
| 66247 | T-40 | 50 | 5 |
| 66682 | | | 10 |
| 55168 | | | 125 |



 | 1/4"

*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)





TAMPER TORX

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58288 | | | 1 |
| 66392 | TT-10 | | 5 |
| 66683 | | | 10 |
| 55169 | | | 125 |
| 58289 | | | 1 |
| 66393 | TT-15 | 25 | 5 |
| 66684 | | | 10 |
| 55170 | | | 125 |
| 58290 | | | 1 |
| 66394 | TT-20 | 25 | 5 |
| 66685 | | | 10 |
| 55171 | | | 125 |
| 58157 | | | 1 |
| 66395 | TT-25 | 25 | 5 |
| 66686 | | | 10 |
| 55172 | | | 125 |
| 58291 | | | 1 |
| 66396 | TT-27 | 25 | 5 |
| 66687 | | | 10 |
| 55173 | | | 125 |
| 58292 | | | 1 |
| 66397 | TT-30 | 25 | 5 |
| 66688 | | | 10 |
| 55174 | | | 125 |
| 58293 | | | 1 |
| 66398 | TT-40 | 25 | 5 |
| 66689 | | | 10 |
| 55175 | | | 125 |





 1/4"

MAGNETIC STECKER

| COD. |  mm | L (mm) |  |  |  |
|-------|--|--------|---|---|---|
| 57575 | 5 | | | | - |
| 66269 | 5,5 | | | | ! |
| 57576 | 6 | | | | • |
| 66270 | 7 | 65 | 35 | 10 | |
| 66271 | 8 | | | | ! |
| 66279 | 10 | | | | • |
| 66280 | 13 | | | | |



 1/4"



| COD. |  mm | L (mm) |  |  |  |
|-------|--|--------|---|---|---|
| 66357 | 10 | 100 | 50 | 10 | • |



With internal adjusting spring

 1/4"



XZN

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58294 | M4 | 25 | 1 |
| 66966 | | | 5 |
| 66971 | | | 10 |
| 55176 | | | 125 |
| 58295 | M5 | | 1 |
| 66967 | | | 5 |
| 66972 | | | 10 |
| 55177 | | | 125 |
| 58163 | M6 | | 1 |
| 66968 | | | 5 |
| 66973 | | | 10 |
| 55178 | | | 125 |
| 58296 | M8 | 1 | |
| 66969 | | 5 | |
| 66974 | | 10 | |
| 55179 | | 125 | |
| 58297 | M10 | 1 | |
| 66970 | | 5 | |
| 66975 | | 10 | |
| 55180 | | 125 | |



 | 1/4"



SPANNER

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58298 | 4 | 25 | 1 |
| 66958 | | | 5 |
| 66962 | | | 10 |
| 55181 | | | 125 |
| 58299 | 6 | | 1 |
| 66959 | | | 5 |
| 66963 | | | 10 |
| 55182 | | | 125 |
| 58300 | 8 | | 1 |
| 66960 | | | 5 |
| 66964 | | | 10 |
| 55183 | | | 125 |
| 58301 | 10 | 1 | |
| 66961 | | 5 | |
| 66695 | | 10 | |
| 55184 | | 125 | |



 | 1/4"



TRI-WING®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58302 | | | 1 |
| 66982 | 1 | | 5 |
| 66986 | | | 10 |
| 55185 | | | 125 |
| 58303 | 2 | 25 | 1 |
| 66983 | | | 5 |
| 66987 | | | 10 |
| 55186 | 3 | 25 | 125 |
| 58304 | | | 1 |
| 66984 | | | 5 |
| 66988 | 4 | 25 | 10 |
| 55187 | | | 125 |
| 58305 | | | 1 |
| 66985 | 4 | 25 | 5 |
| 66989 | | | 10 |
| 55188 | | | 125 |



 | 1/4"

TORQ-SET®*



| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58306 | | | 1 |
| 66976 | 6 | | 5 |
| 66979 | | | 10 |
| 55189 | | | 125 |
| 58307 | 8 | 25 | 1 |
| 66977 | | | 5 |
| 66980 | | | 10 |
| 55190 | 10 | 25 | 125 |
| 58308 | | | 1 |
| 66978 | | | 5 |
| 66981 | 10 | 25 | 10 |
| 55191 | | | 125 |



 | 1/4"

*For screws TRI-WING® (Phillips Screw Company registered trademark)
 *For screws TORQ-SET® (Phillips Screw Company registered trademark)

MASTERBIT TORSION BITS



5/10 pcs. blister packaging



1. High quality material, **Cr-Mo-V**, enables the bit to achieve high hardness while maintaining the tenacity.



2. High hardness, provides strong resistance to wearing: **56-60HRc**.


3. Good access to confined spaces for screwing/unscrewing.

4. The special zone for torsion cushions the final effort of screwing.

5. The life of the bit and the screwdriver is longer due to the torsion power.



FLAT MM

| COD. |  mm | L (mm) |  PCS |
|-------|--|--------|---|
| 58309 | | | 1 |
| 66533 | | | 5 |
| 66694 | 4 x 0,5 | | 10 |
| 55192 | | | 125 |
| 58310 | | | 1 |
| 66534 | | | 5 |
| 66695 | 4,5 x 0,6 | | 10 |
| 55193 | | | 125 |
| 58311 | | | 1 |
| 66535 | | 25 | 5 |
| 66696 | 5,5 x 0,8 | | 10 |
| 55194 | | | 125 |
| 58312 | | | 1 |
| 66536 | | | 5 |
| 66697 | 5,5 x 1 | | 10 |
| 55195 | | | 125 |
| 58313 | | | 1 |
| 66537 | | | 5 |
| 66698 | 6,5 x 1,2 | | 10 |
| 55196 | | | 125 |



 | 1/4"



PHILLIPS®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58314 | | | 1 |
| 66522 | PH-1 | | 5 |
| 66699 | | | 10 |
| 55197 | | | 125 |
| 58315 | | | 1 |
| 66523 | PH-2 | 25 | 5 |
| 66700 | | | 10 |
| 55198 | | | 125 |
| 58316 | | | 1 |
| 66524 | PH-3 | | 5 |
| 66701 | | | 10 |
| 55199 | | | 125 |



 | 1/4"



POZIDRIV®*


| COD. |  | L (mm) |  PCS |
|-------|--|--------|--|
| 58317 | | | 1 |
| 66543 | PZ-1 | | 5 |
| 66702 | | | 10 |
| 55200 | | | 125 |
| 58318 | | | 1 |
| 66544 | PZ-2 | 25 | 5 |
| 66703 | | | 10 |
| 55201 | | | 125 |
| 58319 | | | 1 |
| 66545 | PZ-3 | | 5 |
| 66704 | | | 10 |
| 55202 | | | 125 |





 | 1/4"


TORX®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|---|
| 58320 | | | 1 |
| 55227 | T5 | | 5 |
| 55238 | | | 10 |
| 55249 | | | 125 |
| 58321 | | | 1 |
| 55228 | T6 | 25 | 5 |
| 55239 | | | 10 |
| 55250 | | | 125 |
| 58322 | | | 1 |
| 55229 | T7 | | 5 |
| 55240 | | | 10 |
| 55251 | | | 125 |
| 58323 | | | 1 |
| 55230 | T8 | | 5 |
| 55241 | | | 10 |
| 55252 | | | 125 |






*For screws PHILLIPS® (Phillips Screw Company registered trademark)
 *For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)
 *For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

| COD. |  | L (mm) |  PCS |
|-------|---|--------|--|
| 58324 | | | 1 |
| 55231 | T9 | | 5 |
| 55242 | | | 10 |
| 55253 | | | 125 |
| 58325 | | | 1 |
| 55232 | T10 | | 5 |
| 55243 | | | 10 |
| 55254 | | | 125 |
| 58326 | | | 1 |
| 55233 | T15 | | 5 |
| 55244 | | | 10 |
| 55255 | | | 125 |
| 58327 | | 25 | 1 |
| 55234 | T20 | | 5 |
| 55245 | | | 10 |
| 55256 | | | 125 |
| 58328 | | | 1 |
| 55235 | T25 | | 5 |
| 55246 | | | 10 |
| 55257 | | | 125 |
| 58329 | | | 1 |
| 55236 | T27 | | 5 |
| 55247 | | | 10 |
| 55258 | | | 125 |
| 58330 | | | 1 |
| 55237 | T30 | | 5 |
| 55248 | | | 10 |
| 55259 | | | 125 |




TAMPER TORX

| COD. |  | L (mm) |  PCS |
|-------|---|--------|--|
| 57565 | TT10 | | |
| 57566 | TT15 | | |
| 57567 | TT20 | | |
| 57568 | TT25 | 25 | 5 |
| 57569 | TT27 | | |
| 57570 | TT30 | | |
| 57571 | TT40 | | |



*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

MASTERBIT NON-SLIP BITS



5/10 pcs. blister packaging



1. High quality material, **Cr-Mo-V**, enables the bit to achieve high hardness while maintaining the tenacity.

2. High hardness, provides strong resistance to wearing: **56-60HRC**.

3. Specially designed to avoid undesired slides.

4. The life of the bit and the screwdriver becomes longer due to the reduction of come out effect.

PHILLIPS®*

| COD. | | L (mm) | PCS |
|-------|------|--------|-----|
| 58331 | PH-1 | 25 | 1 |
| 66546 | | | 5 |
| 66705 | | | 10 |
| 55203 | | | 125 |
| 58332 | | | 1 |
| 66547 | PH-2 | 25 | 5 |
| 66706 | | | 10 |
| 55204 | | | 125 |
| 58333 | PH-3 | 25 | 1 |
| 66548 | | | 5 |
| 66707 | | | 10 |
| 55205 | | | 125 |



1/4"

POZIDRIV®*


| COD. | | L (mm) | PCS |
|-------|------|--------|-----|
| 58334 | PZ-1 | 25 | 1 |
| 66568 | | | 5 |
| 66708 | | | 10 |
| 55206 | | | 125 |
| 58335 | PZ-2 | 25 | 1 |
| 66569 | | | 5 |
| 66709 | | | 10 |
| 55207 | PZ-3 | 25 | 125 |
| 58336 | | | 1 |
| 66570 | | | 5 |
| 66710 | | | 10 |
| 55208 | | | 125 |



1/4"

*For screws PHILLIPS® (Phillips Screw Company registered trademark)
*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)

MASTERBIT TIN BITS



5/10 pcs. blister packaging



1. High quality material, **Cr-Mo-V**, enables the bit to achieve high hardness while maintaining the tenacity.

2. High hardness, provides strong resistance to wearing: **56-60HRc**.

3. High superficial hardness, getting a extremely high resistance to wearing: **2400Hv**.

4. Titan Nitride coated bits are specially suitable for repetitive works.

5. The life of the bit becomes up to **10 times longer**.

6. Excellent anti-rust protection.

PHILLIPS®*

| COD. | | L (mm) | PCS |
|-------|------|--------|-----|
| 58347 | PH-1 | 25 | 1 |
| 66605 | | | 5 |
| 66711 | | | 10 |
| 55209 | | | 125 |
| 58348 | | | 1 |
| 66606 | PH-2 | 25 | 5 |
| 66712 | | | 10 |
| 55210 | | | 125 |
| 58349 | PH-3 | 25 | 1 |
| 66607 | | | 5 |
| 66713 | | | 10 |
| 55211 | | | 125 |



1/4"



| COD. | | L (mm) | PCS |
|-------|------|--------|-----|
| 58350 | PH-1 | 50 | 1 |
| 66608 | | | 5 |
| 66714 | | | 10 |
| 55212 | | | 125 |
| 58351 | PH-2 | 50 | 1 |
| 66609 | | | 5 |
| 66715 | | | 10 |
| 55213 | PH-3 | 50 | 125 |
| 58352 | | | 1 |
| 66610 | | | 5 |
| 66716 | | | 10 |
| 55214 | | | 125 |



1/4"



*For screws PHILLIPS® (Phillips Screw Company registered trademark)

POZIDRIV®*

| COD. |  | L (mm) |  PCS |
|-------|---|--------|--|
| 58353 | | | 1 |
| 66611 | PZ-1 | 25 | 5 |
| 66717 | | | 10 |
| 55215 | | | 125 |
| 58354 | | | 1 |
| 66612 | PZ-2 | 25 | 5 |
| 66718 | | | 10 |
| 55216 | | | 125 |
| 58355 | PZ-3 | 25 | 1 |
| 66613 | | | 5 |
| 66719 | | | 10 |
| 55217 | | | 125 |





 I 1/4"

| COD. |  | L (mm) |  PCS |
|-------|---|--------|--|
| 58356 | | | 1 |
| 66614 | PZ-1 | 50 | 5 |
| 66720 | | | 10 |
| 55218 | | | 125 |
| 58357 | PZ-2 | 50 | 1 |
| 66615 | | | 5 |
| 66721 | | | 10 |
| 55219 | PZ-3 | 50 | 125 |
| 58358 | | | 1 |
| 66616 | | | 5 |
| 66722 | | | 10 |
| 55220 | | | 125 |



 I 1/4"

TORX®*




| COD. |  | L (mm) |  PCS |
|-------|---|--------|--|
| 58337 | | | 1 |
| 66617 | T-10 | 25 | 5 |
| 66723 | | | 10 |
| 55221 | | | 125 |
| 58338 | T-15 | 25 | 1 |
| 66618 | | | 5 |
| 66724 | | | 10 |
| 55222 | T-20 | 25 | 125 |
| 58339 | | | 1 |
| 66619 | | | 5 |
| 66725 | T-25 | 25 | 10 |
| 55223 | | | 125 |
| 58340 | | | 1 |
| 66620 | T-30 | 25 | 5 |
| 66726 | | | 10 |
| 55224 | | | 125 |
| 58341 | T-40 | 25 | 1 |
| 66621 | | | 5 |
| 66727 | | | 10 |
| 55225 | | | 125 |
| 58342 | | | 1 |
| 66622 | | | 5 |
| 66728 | | | 10 |
| 55226 | | | 125 |



*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)
*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

MAGNETIC HOLDER






NOX

| COD. |  inch |  inch | L (mm) |  g |  |  |
|--------------|--|--|--------|---|---|---|
| 66261 | 1/4 | 1/4 | 60 | 20 | 10 | • |


INOX







"PULL" TYPE

| COD. |  inch |  inch | L (mm) |  g |  |  |
|--------------|--|--|--------|---|---|---|
| 66262 | 1/4 | 1/4 | 60 | 30 | 10 | • |


INOX







"PUSH" TYPE

| COD. |  inch |  inch | L (mm) |  g |  |  |
|--------------|--|--|--------|---|---|---|
| 66263 | 1/4 | 1/4 | 60 | 30 | 10 | • |


INOX






AUTOMATIC "PULL" TYPE


| COD. |  inch |  inch | L (mm) |  g |  |  |
|--------------|--|--|--------|---|---|---|
| 66264 | 1/4 | 1/4 | 75 | 35 | 10 | • |

INOX







SET





| COD. | PCS. | Composition |  |  g |  |
|--------------|------|--|--|---|---|
| 66941 | | PH1 (6) -PH2 (10) -PH3 (4) -PZ1 (4) -PZ2 (6) -PZ3 (2) | | | |
| 66942 | 33 | PH1 (2) -PH2 (2) -PH3 (1) -PZ1 (2) -PZ2 (2) -PZ3 (1) -T10 (1) -T15 (1) -T20 (1) -T25 (1) -T27 (1) -T30 (1) -T40 (1) - 4,5 x 0,6 (2) - 5,5 x 0,8 (2) - 6,5 x 1,2 (2) - 8 x 1,6 (2) mm - HEX3 (2) - HEX4 (2) - HEX5 (2) - HEX6 (1) | 66261 | 250 | 1 |
| 66943 | | T5 (2) - T6 (3) - T7 (3) - T8 (3) - T9 (3) - T10 (3) - T15 (3) - T20 (3) - T25 (3) - T27 (2) - T30 (2) - T40 (2) | | | |







SET

| COD. | PCS. | Composition |  |  |  |
|--------------|------|--|--|---|---|
| 66944 | 31 | 3 x 0,5 (1) - 4,5 x 0,6 (1) - 5,5 x 0,8 (1) - 5,5 x 1 (1) - 6,5 x 1,2 (1) - 8 x 1,6 (1) mm - HEX1,5 (1) - HEX2 (1) - HEX3 (1) - HEX4 (1) - HEX5 (1) - HEX6 (1) - HEX7 (1) - HEX8 (1) - T6 (1) - T7 (1) - T8 (1) - T9 (1) - T10 (1) - T15 (1) - T20 (1) - T25 (1) - T27 (1) - T30 (1) - PH1 (1) - PH2 (1) - PH3 (1) - PZ1 (1) - PZ2 (1) - PZ3 (1) |  | 240 | 1 |
| 66945 | | PH0 (2) - PH1 (4) - PH2 (6) - PH3 (4) - PH4 (2) - PZ0 (1) - PZ1 (3) - PZ2 (4) - PZ3 (3) - PZ4 (1) | | | |
| 66946 | | T5 (2) - T6 (3) - T7 (3) - T8 (3) - T9 (3) - T10 (3) - T15 (3) - T20 (2) - T25 (2) - T27 (2) - T30 (2) - T40 (2) | | | |
| 66947 | | PH1 (3) - PH2 (3) - PH3 (3) - PZ1 (3) - PZ2 (3) - PZ3 (3) - T10 (2) - T15 (2) - T20 (2) - T25 (2) - T30 (2) - T40 (2) | | | |





| COD. | PCS. | Composition |  |  |  |
|--------------|------|--|--|---|---|
| 66948 | 10 | 5,5 x 1 (1) - 6,5 x 1,2 (1) mm - PH1 (1) - PH2 (2) - PH3 (1) - PZ1 (1) - PZ2 (1) - PZ3 (1) |  | 120 | 1 |
| 66949 | | T7 (1) - T8 (1) - T9 (1) - T10 (1) - T15 (1) - T20 (1) - T25 (1) - T27 (1) - T30 (1) | | | |
| 66950 | | PH1 (1) - PH2 (1) - PH3 (1) - PZ1 (1) - PZ2 (1) - PZ3 (1) - T15 (1) - T20 (1) - T30 (1) | | | |
| 66951 | | PH1 (2) - PH2 (2) - PH3 (2) - PZ1 (1) - PZ2 (1) - PZ3 (1) | | | |
| 66952 | | PH1 (2) - PH2 (2) - PH3 (2) - PZ1 (1) - PZ2 (1) - PZ3 (1) | | | |



| COD. | PCS. | Composition |  |  |  |
|--------------|------|--|--|---|---|
| 66953 | 9 | PH1 (1) - PH2 (1) - PH3 (1) - PZ1 (1) - PZ2 (1) - PZ3 (1) - 4 x 0,8 (1) (50 mm) - 5,5 x 1 (1) (50 mm) mm |  | 140 | 1 |
| 66954 | | 3 x 0,5 (1) - 4,5 x 0,6 (1) - 5,5 x 0,8 (1) - 5,5 x 1 (1) - 6,5 x 1,2 (1) - 8 x 1,6 (1) - 4 x 0,8 (1) (50 mm) - 5,5 x 1 (1) (50 mm) mm | | | |
| 66955 | | T6 (1) - T7 (1) - T8 (1) - T9 (1) - T10 (1) - T15 (1) - T20 (1) (50 mm) - T25 (1) (50 mm) | | | |
| 66956 | | PH1 (1) - PH2 (1) - PH3 (1) - PZ1 (1) - PZ2 (1) - PZ3 (1) - PH2 (1) (50 mm) - PZ2 (1) (50 mm) | | | |



DISPLAYS

| COD. | | |  | PCS |
|------|-------|----------------------|--|-----|
| PCS. | COD. | Composition | | |
| 14 | 66121 | 3 x 0,5 mm - 25 mm |  | 5 |
| | 66122 | 4,5 x 0,6 mm - 25 mm | | |
| | 66124 | 5,5 x 1 mm - 25 mm | | |
| | 66125 | 6,5 x 1,2 mm - 25 mm | | |
| | 66126 | 8 x 1,6 mm - 25 mm | | |
| | 66133 | PH-0 - 25 mm | | |
| | 66134 | PH-1 - 25 mm | | |
| | 66135 | PH-2 - 25 mm | | |
| | 66136 | PH-3 - 25 mm | | |
| | 66137 | PH-4 - 30 mm | | |



DISPLAYS

| COD. | | |
|--------------|-------|-------------------|
| 55646 | | |
| PCS. | COD. | |
| 14 | 66138 | PZ-0 - 25 mm |
| | 66139 | PZ-1 - 25 mm |
| | 66140 | PZ-2 - 25 mm |
| | 66141 | PZ-3 - 25 mm |
| | 66142 | PZ-4 - 30 mm |
| | 66147 | HEX. 3 mm - 25 mm |
| | 66148 | HEX. 4 mm - 25 mm |
| | 66149 | HEX. 5 mm - 25 mm |
| | 66172 | HEX. 6 mm - 25 mm |
| | 66173 | HEX. 8 mm - 25 mm |



5

| COD. | | |
|--------------|-------|----------------------|
| 55647 | | |
| PCS. | COD. | |
| 12 | 66127 | 3 x 0,5 mm - 50 mm |
| | 66129 | 4 x 0,8 mm - 50 mm |
| | 66130 | 5,5 x 1 mm - 50 mm |
| | 66131 | 6,5 x 1,2 mm - 50 mm |
| | 66132 | 8 x 1,6 mm - 50 mm |
| | 68877 | PH-0 - 50 mm |
| | 68878 | PH-1 - 50 mm |
| | 68879 | PH-2 - 50 mm |
| | 68880 | PH-3 - 50 mm |
| | 68881 | PH-4 - 50 mm |



5





| COD. | | |
|--------------|-------|-------------------|
| 55648 | | |
| PCS. | COD. | |
| 12 | 68882 | PZ-0 - 50 mm |
| | 68883 | PZ-1 - 50 mm |
| | 68884 | PZ-2 - 50 mm |
| | 68885 | PZ-3 - 50 mm |
| | 68886 | PZ-4 - 50 mm |
| | 66174 | HEX. 3 mm - 50 mm |
| | 66175 | HEX. 4 mm - 50 mm |
| | 66176 | HEX. 5 mm - 50 mm |
| | 66177 | HEX. 6 mm - 50 mm |
| | 66178 | HEX. 8 mm - 50 mm |



5

DISPLAYS

| COD. | | | |  |
|------------------|------|-------------------------|--|--|
| 55649 | | Trays | | 4 |
| N.º / No. / Nro. | PCS. | COD. | |  PCS |
| 1 | 14 | 66121 3 x 0,5 - 25 mm | | |
| | | 66122 4,5 x 0,6 - 25 mm | | |
| | | 66124 5,5 x 1 - 25 mm | | |
| | | 66125 6,5 x 1,2 - 25 mm | | |
| | | 66126 8 x 1,6 - 25 mm | | |
| | | 66133 PH-0 - 25 mm | | |
| | | 66134 PH-1 - 25 mm | | |
| | | 66135 PH-2 - 25 mm | | |
| | | 66136 PH-3 - 25 mm | | |
| | | 66137 PH-4 - 30 mm | | |
| | | 66138 PZ-0 - 25 mm | | |
| | | 66139 PZ-1 - 25 mm | | |
| | | 66140 PZ-2 - 25 mm | | |
| | | 66141 PZ-3 - 25 mm | | |
| 2 | | 66142 PZ-4 - 30 mm | | |
| | | 66147 HEX. 3 mm - 25 mm | | |
| | | 66148 HEX. 4 mm - 25 mm | | |
| | | 66149 HEX. 5 mm - 25 mm | | |
| | | 66172 HEX. 6 mm - 25 mm | | |
| | | 66173 HEX. 8 mm - 25 mm | | |
| | | 66127 3 X 0,5 - 50 mm | | |
| | | 66129 4 X 0,8 - 50 mm | | |
| 3 | 12 | 66130 5,5 X 1 - 50 mm | | 5 |
| | | 66131 6,5 X 1,2 - 50 mm | | |
| | | 66132 8 X 1,6 - 50 mm | | |
| | | 68877 PH-0 - 50 mm | | |
| | | 68878 PH-1 - 50 mm | | |
| | | 68879 PH-2 - 50 mm | | |
| | | 68880 PH-3 - 50 mm | | |
| | | 68881 PH-4 - 50 mm | | |
| | | 68882 PZ-0 - 50 mm | | |
| | | 68883 PZ-1 - 50 mm | | |
| | | 68884 PZ-2 - 50 mm | | |
| | | 68885 PZ-3 - 50 mm | | |
| 4 | | 68886 PZ-4 - 50 mm | | |
| | | 66174 HEX. 3 mm - 50 mm | | |
| | | 66175 HEX. 4 mm - 50 mm | | |
| | | 66176 HEX. 5 mm - 50 mm | | |
| | | 66177 HEX. 6 mm - 50 mm | | |
| | | 66178 HEX. 8 mm - 50 mm | | |

