

SHOVELS AND SPADES



EGA Master's range of shovels and spades, in steel and aluminum with a wide variety of handles (T-grip, D-grip or long shaft), offers professionals a complete selection for every need that may arise.

In steel and aluminum




1. Ideal for work involving digging and moving of materials in the construction sector.


2. Thick metal plating, in addition to its unique three-phase heat treatment process, provides the resistance and elasticity necessary for working with the most challenging types of foundation.

3. Surface finish avoids adherence of sand, dirt... and simplifies maintenance.

SHOVELS





COD	L mm	A	B	Kg.	
67185	1030	265	325	1,9	6
67186		285	335		




COD	L mm	A	B	Kg.	
67187	1020	265	325	1,9	6
67188		285	335		


SHOVELS






COD	$\leftarrow L \rightarrow$ mm	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67189	1400	265	325	1,9	6





COD	$\leftarrow L \rightarrow$ mm	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67196	1020	250	325	1,8	6
67197		265	340	1,9	



COD	$\leftarrow L \rightarrow$ mm	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67198	1020	250	325	2,1	6
67199		265	340		



COD	$\leftarrow L \rightarrow$ mm	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67200	1400	250	325	2,0	6
67201		265	340		

TECHNICAL SPECIFICATIONS


MATERIAL	Head	Special steel
	Handle	Ash wood
HARDNESS	Head	40-50HRc
FINISHING	Head	Sand-anti-adherence
	Handle	Varnished

ALUMINUM SHOVELS

Aluminum




COD	L mm	A	B	Kg.	Icon
67208	1300	345	390	1,6	6



Aluminum




COD	L mm	A	B	Kg.	Icon
67209	1620	345	390	1,6	6



Aluminum




COD	L mm	A	B	Kg.	Icon
67212	990	260	305	0,9	6




TECHNICAL SPECIFICATIONS

MATERIAL	Head	Aluminum
	Handle	Ash wood
HARDNESS	Head	19-23HRc
FINISHING	Handle	Varnished


SPADES




COD	$\leftarrow L_{mm} \rightarrow$	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67215	955	160	260	1,6	6



COD	$\leftarrow L_{mm} \rightarrow$	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67216	955	160	260	1,7	6



COD	$\leftarrow L_{mm} \rightarrow$	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67218	1280	150	240	1,6	6



COD	$\leftarrow L_{mm} \rightarrow$	$\leftarrow A \rightarrow$	$\leftarrow B \rightarrow$	Kg. 	
67219	1010	150	240	1,7	6

Handle in high-resistance fiberglass.

TECHNICAL SPECIFICATIONS

MATERIAL	Head	Special steel
	Handle	Ash wood / Fiberglass (cod. 67219)
HARDNESS	Head	40-50HRc
FINISHING	Head	Black powder coating
	Handle	Varnished