


PLIERS FOR INSULATED TERMINALS

Ega Master offers a wide range of crimping pliers for insulated terminals, such as: pliers for insulated and non-insulated terminals, telephone, cable links insulated and non-insulated and coax-BNG-TNC.





1. Ideal for basic functions for connections.



- 2. Its multifunction permits it to be used to strip and join cables, crimping terminals, crimping connectors, etc.
- 3. Ergonomic handles.

TECHNICAL SPECIFICATIONS

	Body	Special steel
MATERIAL	Jaws	Chromium-molybdenum
	Handles	PVC
HARDNESS	Jaws	38-42 HRc
FINISH	Body and Jaws	Black finishing
LINIOU	Handles	Red colour RAL-2002



FOR INSULATED TERMINALS



COD	← L→	CAP mm ²	gr.		
62493	200	0,75-6	175	6	1

FOR CABLE LINKS INSULATED & NO INSULATED



COD	← L →	DIN mm²	gr.		
62494	220	0,75-6	190	6	1

FOR INSULATED TERMINALS



62591 9" 0.5-6 22-10 550 6 1	COD	ı—L→ı	DIN mm²	AWG	gr.		
0 0,00 2210	62591	9"	0,5-6	22-10	550	6	1

FOR CABLE LINKS INSULATED & NO INSULATED



COD	← L →	DIN mm²	AWG	gr.		
62594	7.1/2"	0,14-2,5	26-14	360	6	1

FOR NOT INSULATED TERMINALS



	COD	←L→	DIN mm²	AWG	gr.		
	62593	7.1/2"	0,5-2,5	20-14	350	6	1
-							

FOR COLOR INSULATED TERMINALS



COD	← L →	DIN mm²	AWG	gr.		
62592	7.1/2"	0,25-0,5 0,75-1,5 2-2,5	24-20 18-16 14	350	6	1

www.egamaster.com - info@egamaster.com

FOR COAX-BNC-TNC CONNECTORS



58,59,62,8X, 140,141,174, 210,223,303,400 EIRER ORTIC RELIDEN 8270	COD	← L →	CAP	gr.		==
TIBLE OF THE BELDEN 02/9	62597	9"	140,141,174,	550	6	1

FOR PHONE TERMINALS



COD	←L →	CAP	gr.		
62595	8"	4P2C, 4P4C, 6P4C (RJ-11) 6P6C (RJ-12) 8P8C, 10P6C, 10P8C (RJ-45)	500	6	1

FOR PHONE TERMINALS



COD	←L→	CAP	gr.		
62596	7.1/2"	6P4C, 6P6C (RJ-11) 8P8C (RJ-45)	260	6	1

EES/////ACATION