

# ANALOGIC INTERCHANGEABLE HEAD TORQUE WRENCHES



**9x12, 14x18,  
24x32 and 27x36  
connections**

8

**Accuracy +/- 3**

4

5

6

9

1. The ratchet head gear is made in Cr-V for maximum strength.

2. Wider range with larger clamping range, reaching from 2,5Nm to 3000N.

3. Increased number of teeth on the ratched head gear 45, instead of 32, in order to reduce the required minimum angle of rotation from 11° to 8°.

4. Double scale window, larger and more visible for having torque adjustment more precise and accurate. The scale in units Nm, lb.ft and Lb.in.

5. Ergonomic non slip **BMAT** handle.

6. Push type locking system.

7. Reversible ratched head with a gear lever.

8. Mirror polished chrome plating.

9. Individual carrying case.

# EGATOOL


## SET 9X12



### 9X12

COD		N.m	Lb.in	Lb.ft	L mm	A	Kg.	
56220	9x12	2,5-12	20-105	-	280	38	0,5	1
56221		6-30	50-250	-	300		0,6	
56222		25-125	-	20-90	420		0,8	

ISO 6789 GGG-W-00686D



## TECHNICAL SPECIFICATIONS

Accuracy	3%
Calibration certificate	●
Reversible	●
Joint Dimensions	9x12mm
Individual case	●
Ratchet + open head + box head + box open head system + adjustable	●

## INTERCHANGEABLE HEADS 9X12



COD		Teeth	
56246	1/4"	45	9x12
56247	3/8"		
56248	1/2"		

COD		Teeth	
57595	1/4"	52	9x12
57596	3/8"		
57597	1/2"		



MM	COD		
	56250	7mm	9x12
	56251	8mm	
	56252	9mm	
	56253	10mm	
	56254	11mm	
	56255	12mm	
	56256	13mm	
	56257	14mm	
	56258	15mm	
	56259	16mm	
	56260	17mm	
	56261	18mm	
	56262	19mm	

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.





**INTERCHANGEABLE HEADS 9X12**





INCH.	COD		
	56445	1/4"	9x12
	56446	5/16"	
	56447	3/8"	
	56448	7/16"	
	56449	1/2"	
	56450	9/16"	
	56451	5/8"	
	56452	11/16"	
	56453	3/4"	






MM	COD		
	56264	7mm	9x12
	56265	8mm	
	56266	9mm	
	56267	10mm	
	56268	11mm	
	56269	12mm	
	56270	13mm	
	56271	14mm	
	56272	15mm	
	56273	16mm	
	56274	17mm	
	56275	18mm	
	56276	19mm	
	56277	21mm	
	56278	22mm	



INCH.	COD		
	56454	5/16"	9x12
	56455	3/8"	
	56456	7/16"	
	56457	1/2"	
	56458	9/16"	
	56459	5/8"	
	56460	11/16"	
	56461	3/4"	
	56462	13/16"	
	56463	7/8"	



	COD		
	56279	10mm	9x12
	56280	11mm	
	56281	12mm	
	56282	13mm	
	56283	14mm	
	56284	16mm	
	56285	17mm	
	56286	18mm	
	56287	19mm	
	56288	21mm	
	56289	22mm	

	COD	CAP	
	56291	5-30mm	9x12

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.

# EGATORK

## SET 14X18




### 14X18



COD		N.m	Lb.ft			Kg.	
56223	14x18	40-200	30-150	460	38	0,9	1
56224		80-400	60-300	700		1,85	

ISO 6789 GGG-W-00686D



## TECHNICAL SPECIFICATIONS

Accuracy	3%
Calibration certificate	●
Reversible	●
Joint Dimensions	14x18mm
Individual case	●
Ratchet + open head + box head + adjustable	●

## INTERCHANGEABLE HEADS 14X18



COD	CAP	
56292	10-41mm	14 x18



MM	COD		
64869		8mm	14X18
64870		9mm	
64871		10mm	
64872		11mm	
64873		12mm	
65369		13mm	
65370		14mm	
65371		15mm	
65372		16mm	
65373		17mm	
65374		18mm	
65375		19mm	
65376		21mm	
65377		22mm	
65378		24mm	
65379		26mm	
65380		27mm	
65381		29mm	
65382		30mm	
65383		32mm	



\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.



**INTERCHANGEABLE HEADS 14X18**



INCH.

<b>COD</b>		
56464	1/2"	14x18
56465	9/16"	
56466	5/8"	
56467	11/16"	
56468	3/4"	
56469	13/16"	
56470	7/8"	
56471	15/16"	
56472	1"	
56473	1.1/8"	
56474	1.1/4"	



MM



<b>COD</b>		
64875	13mm	14X18
64876	14mm	
64877	15mm	
64878	16mm	
64879	17mm	
64880	18mm	
64881	19mm	
64882	21mm	
64883	22mm	
64884	24mm	
64885	27mm	
64886	30mm	
64887	32mm	





INCH.

56475	1/2"	14x18
56476	9/16"	
56477	5/8"	
56478	11/16"	
56479	3/4"	
56480	13/16"	
56481	7/8"	
56482	15/16"	
56483	1"	



<b>COD</b>		<b>Dientes</b>	
65384	3/8"	24	14x18
65385	1/2"		
56290	3/4"		

<b>COD</b>		<b>Dientes</b>	
57598	1/2"	52	14x18
57599	3/4"		

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.

# EGATOOL

## SET 24X32




\*G12

### 24X32

COD		N.m	Lb.ft	L mm	A	Kg.	
62946	24x32	120-800	80-600	1040	38	8,6	1
62947		200-1000	150-750				

ISO 6789 GGG-W-00686D



## TECHNICAL SPECIFICATIONS

Accuracy	3%
Calibration certificate	●
Reversible	●
Joint Dimensions	24x32mm
Individual case	●
Ratchet + open head + box head + box open head system	●

## INTERCHANGEABLE HEADS 24X32



COD		Teeth	
68240	3/4"	45	24x32
68241	1"		

MM	COD		
	68242	20mm	24x32
	68243	24mm	
	68244	27mm	
	68245	28mm	
	68246	30mm	
	68247	32mm	
	68248	34mm	
	68249	36mm	
	68250	38mm	
	68251	41mm	
	68252	45mm	
	68253	46mm	
	68254	50mm	
	68255	55mm	
	68256	60mm	
	68257	65mm	
	68258	67mm	
	68259	70mm	



\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.



**INTERCHANGEABLE HEADS 24X32**



INCH.



<b>COD</b>		
56484	5/8"	24x32
56485	3/4"	
56486	7/8"	
56487	1.1/8"	
56488	1.3/4"	
56489	2.1/4"	



MM





<b>COD</b>		
68260	24mm	24X32
68261	30mm	
68262	32mm	
68263	34mm	
68264	36mm	
68265	38mm	
68266	41mm	
68267	46mm	
68268	50mm	
68269	55mm	
68270	60mm	
68271	65mm	
68272	70mm	

INCH.



<b>COD</b>		
56490	15/16"	24x32
56491	1.1/8"	

<b>COD</b>		
68273	19mm	24X32
68274	30mm	
68275	32mm	
68276	36mm	
68277	38mm	
68278	50mm	
68279	70mm	

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.

# EGATOOL


## SET 27X36



### 27X36

COD		N.m	Lb.ft	L mm	A	Kg.	
56494	27x36	300-1500	200-1100	1250	38	10,8	1
56495		400-2000	300-1500				
56496		600-3000	400-2200				

ISO 6789 GGG-W-00686D



## TECHNICAL SPECIFICATIONS

Accuracy	3%
Calibration certificate	●
Reversible	●
Joint Dimensions	27x36mm
Individual case	●
Ratchet + open head + box head + box open head system	●

## EXTENSION BAR FOR TORQUE WRENCH



COD	L mm	Ø (mm)		Kg.	
56497	1100	38	56494	3,4	1
			56495		
56498		40,5	56496	4,7	

## INTERCHANGEABLE HEADS 27X36





COD		Teeth	
56539	1"	45	27x36

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.





**INTERCHANGEABLE HEADS 27X36**





<b>COD</b>		
56510	41mm	27x36
56511	46mm	
56512	50mm	
56513	55mm	
56514	60mm	
56515	61mm	
56516	65mm	
56517	70mm	
56518	75mm	
56519	80mm	
56520	90mm	
56521	95mm	



<b>COD</b>		
56522	30mm	27x36
56523	32mm	
56524	34mm	
56525	36mm	
56526	38mm	
56527	41mm	
56528	46mm	
56529	50mm	
56530	55mm	
56531	60mm	
56532	65mm	
56533	70mm	
56534	75mm	
56535	80mm	



<b>COD</b>		
56536	30mm	27x36
56537	32mm	
56538	36mm	

\*G12: 12 months of warranty / All measuring instruments must be re-calibrated after one year of being used or after 10,000 cycles.

" This document has been created by and is the property of EGA Master S.L. Thus, all intellectual rights belong to EGA Master S.L.. Any total or partial copy of this document in any physical, electronic or any other form is strictly forbidden. EGA Master S.L.will legally proceed against any infringement of these rights."